



BASIC SPECIFICATIONS

- Today, this type of cabins are used successfully in telecommunication networks for voice, data and image transmission, signal transportation, camera control, navigation, remote monitoring etc. requirements.
- Bestrack external cabinets have the feature of being designed as both plinth, wall and pole type cabinets.
- It has a structure that is resistant to corrosion in the outdoor environment.
- It has a natural ventilation system.
- It has IP 65 and IP 66 protection degrees.
- Our cabinets are produced in standard sizes of 7U, 9U, 12U, 16U and 20U high, 600 mm wide, 450 mm and 600 mm deep.
- It is made in special manufacturing in accordance with the specifications.

CONSTRUCTION DETAILS

- **Main carcass structure**; The main body has a monoblock twisted and welded structure. It is produced in 1.5-2 mm sheet thickness.
- **Paint**; All metal parts of our external cabinets are painted with RAL 7035 light gray epoxy polyester electrostatic powder paint after the surface cleaning process.
- **Hat module**; The hat module, which has a monoblock twisted and welded structure, circulates hot air through ventilation holes on the sides.
- Cable entry module; Thanks to the cable glands used in

cable entries, it allows us to make healthy cabling without compromising the IP protection degree.

- **Plinth module**; It can be easily mounted from 4 points on the cabinet. Likewise, it can be easily mounted on the concrete plinth from 4 points on the plinth module.
- **Fan module**; Thanks to our single and double fan modules, the hot air generated inside the cabin is thrown out through the ventilation holes in the hat module.
- **Walled structure**; Our cabinets can be single-walled or double-walled upon request.

The insulation material used between the outer body and the inner cover minimizes the problems caused by cold and hot air coming from the outside.


• Energy unit (PDU); The energy distribution unit can optionally have a plastic or aluminum body, grounded, UPS, fused or a monitorable and manageable structure suitable for mounting in a 19" rack cabinet.

Our external type cabinets are produced as robust, safe, protected, functional and aesthetic, suitable for structural cabling and the mounting and cabling of electrical and electronic products such as switches, routers, modems, servers, patch panels, telephone exchanges, alarm systems, etc. in accordance with the project.

Shipment of the product; After passing through the quality control system, our products are shipped in impact-resistant styrofoam and cardboard packaging.




16U AND 20U 19" IP CLASS OUTDOOR TYPE RACK CABINETS






7U - 9U AND 12U 19" IP CLASS OUTDOOR TYPE RACK CABINETS






600*450 MM IP CLASS OUTDOOR TYPE RACK CABINETS



Order Code	Description	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.IPCLS07U6045	07U 600x450 mm Outdoor Type Rack Cabinets	600	450	484	29,00
ZEY.IPCLS09U6045	09U 600x450 mm Outdoor Type Rack Cabinets	600	450	573	30,00
ZEY.IPCLS12U6045	12U 600x450 mm Outdoor Type Rack Cabinets	600	450	707	36,00
ZEY.IPCLS16U6045	16U 600x450 mm Outdoor Type Rack Cabinets	600	450	885	41,00
ZEY.IPCLS20U6045	20U 600x450 mm Outdoor Type Rack Cabinets	600	450	1065	46,00




600*600 MM IP CLASS OUTDOOR TYPE RACK CABINETS



Order Code	Description	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.IPCLS07U6045	07U 600x600 mm Outdoor Type Rack Cabinets	600	600	484	36,00
ZEY.IPCLS09U6045	09U 600x600 mm Outdoor Type Rack Cabinets	600	600	573	38,50
ZEY.IPCLS12U6045	12U 600x600 mm Outdoor Type Rack Cabinets	600	600	707	43,50
ZEY.IPCLS16U6045	16U 600x600 mm Outdoor Type Rack Cabinets	600	600	885	19,00
ZEY.IPCLS20U6045	20U 600x600 mm Outdoor Type Rack Cabinets	600	600	1065	54,00




19" IP CLASS OUTDOOR TYPE RACK CABINET'S FIXING ON THE WALLS



Order Code	Description	Weight (kg)
ZEY.IPCLSWM07U	07U Fixing On The Walls	0,65
ZEY.IPCLSWM09U	09U Fixing On The Walls	0,90
ZEY.IPCLSWM12U	12U Fixing On The Walls	1,30
ZEY.IPCLSWM16U	16U Fixing On The Walls	1,85
ZEY.IPCLSWM20U	20U Fixing On The Walls	2,40



19" IP CLASS OUTDOOR TYPE RACK CABINET BASE MODULES




600*450 mm Outdoor Type Rack Cabinet Base Modules


600*600 mm Outdoor Type Rack Cabinet Base Modules

Order Code	Description	Weight (kg)	Order Code	Description	Weight (kg)
ZEY.IPCLS100PTH6045	600x450x100mm Base	4,25	ZEY.IPCLS100PTH6060	600x600x100mm Base	5,00
ZEY.IPCLS200PTH6045	600x450x200mm Base	6,75	ZEY.IPCLS200PTH6060	600x600x200mm Base	7,50
ZEY.IPCLS300PTH6045	600x450x300mm Base	9,25	ZEY.IPCLS300PTH6060	600x600x300mm Base	10,50
ZEY.IPCLS400PTH6045	600x450x400mm Base	11,50	ZEY.IPCLS400PTH6060	600x600x400mm Base	13,25
ZEY.IPCLS500PTH6045	600x450x500mm Base	14,00	ZEY.IPCLS500PTH6060	600x600x500mm Base	16,00



19" IP CLASS OUTDOOR TYPE RACK CABINET'S DOUBLE WALLS





600*450 mm Outdoor Type Rack Cabinet's Double Walls


Order Code	Description	Weight (kg)
ZEY.IPCLS07UCDR45	07U 600x450mm Double Wall	5,00
ZEY.IPCLS09UCDR45	09U 600x450mm Double Wall	6,50
ZEY.IPCLS12UCDR45	12U 600x450mm Double Wall	8,50
ZEY.IPCLS16UCDR45	16U 600x450mm Double Wall	11,50
ZEY.IPCLS20UCDR45	20U 600x450mm Double Wall	14,50

600*600 mm Outdoor Type Rack Cabinet's Double Walls

Order Code	Description	Weight (kg)
ZEY.IPCLS07UCDR60	07U 600x600mm Double Wall	6,50
ZEY.IPCLS09UCDR60	09U 600x600mm Double Wall	7,50
ZEY.IPCLS12UCDR60	12U 600x600mm Double Wall	10,00
ZEY.IPCLS16UCDR60	16U 600x600mm Double Wall	13,00
ZEY.IPCLS20UCDR60	20U 600x600mm Double Wall	16,00




19" IP CLASS OUTDOOR TYPE RACK CABINET'S HANGING AND FIXING ON THE POLES





19" IP CLASS OUTDOOR TYPE RACK CABINET FAN UNITS



Order Code	Description	Weight (kg)
ZEY.IPCLSFNT1	1'li Fan+Termostat Units	0,90
ZEY.IPCLSFNT2	2'li Fan+Termostat Units	1,30